

**GPS, FINGERPRINT AND QR-CODE BASED
ATTENDANCE SYSTEM**

LIM GUO HONG

BACHELOR OF COMPUTER SCIENCE

UNIVERSITI MALAYSIA PAHANG



SUPERVISOR'S DECLARATION

I/We* hereby declare that I/We* have checked this thesis/project* and in my/our* opinion, this thesis/project* is adequate in terms of scope and quality for the award of the degree of *Doctor of Philosophy/ Master of Engineering/ Master of Science in

(Supervisor's Signature)

Full Name :

Position :

Date :

(Co-supervisor's Signature)

Full Name :

Position :

Date :



STUDENT'S DECLARATION

I hereby declare that the work in this thesis is based on my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at Universiti Malaysia Pahang or any other institutions.

(Student's Signature)

Full Name : LIM GUO HONG

ID Number : CA15028

Date :

GPS, FINGERPRINT AND QR-CODE BASED ATTENDANCE SYSTEM

LIM GUO HONG

Thesis submitted in fulfillment of the requirements
for the award of the degree of
Bachelor of Computer Science (Computer System & Networking)

Faculty of Computer System & Software Engineering
UNIVERSITI MALAYSIA PAHANG

JANUARY 2019

ACKNOWLEDGEMENTS

I would like to express my deepest appreciation to all those who provided me the possibility to complete this project. A special gratitude I give to my final year project supervisor, Dr. Zafril Rizal Bin M Azmi, whose contribution in stimulating suggestions and encouragement helped me to coordinate my project especially in writing this report. I would like to thank to my client Dr. Zafril Rizal Bin M Azmi for giving me a good user requirement for this system.

Besides, I would like to acknowledge with much appreciation to my parent who gave me mentally and moral support and encouragement during the project on going. Furthermore, I also would like to thank my friends for spending their time in helping and giving me some ideas when I faced problems. Lastly, I also would like to thank everyone who directly or indirectly in helping me in completing this project.

ABSTRAK

Sistem Kehadiran berdasarkan GPS, Fingerprint dan QR-Code adalah satu aplikasi mudah alih yang menggabungkan modul GPS, Fingerprint dan QR-Code untuk mengambil kehadiran pelajar di kelas. Sistem yang dibangunkan adalah untuk menghalang pelajar menipu kehadiran, mengurangkan masa mengambil kehadiran dan mengurangkan beban kerja pensyarah semasa mengira kehadiran pelajar. Objektif projek ini ialah mengkaji sistem yang sedia ada dan membandingkan sistem yang sedia ada dengan sistem yang dicadangkan. Selain itu, projek ini adalah untuk merekabentuk dan membangun sistem yang menggabungkan dengan modul GPS untuk menjejaki kehadiran pelajar semasa pelajar mengambil kehadiran. Objektif terakhir projek ini adalah untuk menguji aplikasi bagi memastikan sistem ini bebas daripada pepijat dan kesilapan. Sistem ini hanya disediakan untuk pengguna Android and hanya untuk mengambil kehadiran pelajar. Sistem ini mempunyai 2 pengguna iaitu pelajar dan pensyarah. Untuk pengguna yang menggunakan sistem ini pertama kali, pengguna perlu mendaftar dulu sebelum menggunakannya. Metodologi projek Sistem Kehadiran berdasarkan GPS, Fingerprint dan QR-Code ini menggunakan model pembangunan Agile. Ini adalah kerana model pembangunan Agile boleh membuat apa-apa perubahan keperluan pada bila-bila masa walaupun terlambat dalam pembangunan. Selain itu, ia mengurangkan kekangan masa pembangunan dengan membahagikan tugas besar kepada beberapa tugas kecil. Sistem Kehadiran ini mempunyai beberapa fungsi iaitu pengesahan cap jari di bahagian masuk, pengimbasan QR-code untuk pelajar mengambil kehadiran, navigasi GPS untuk pensyarah mengesan lokasi pelajar apabila pelajar mengambil kehadiran dan menjana laporan kehadiran pelajar. Sistem ini telah diuji dengan menggunakan User Acceptance Test (UAT) oleh pelajar dan pensyarah. Keputusan ujian ini menunjukkan bahawa sistem ini berfungsi dengan baik dan bebas daripada pepijat dan memenuhi keperluan pengguna.

ABSTRACT

GPS, Fingerprint and QR-Code based Attendance System is a combination of GPS module, Fingerprint and QR-code features mobile application which use to take the students' attendances in class. The system is developed to prevent students cheating on attendances, reduce the time consuming on taking attendances and reduce the workload of the lecturer when calculating the students' attendances. The objective of this project is to study the existing system and compare the existing system with the proposed system. Besides, this project is to design and develop a system combining with GPS module for tracking the students' attendances when check-in. The last objective of this project is to test the application to ensure that there is free of bugs and errors. This system is only available for Android devices and only for taking students' attendance. The system has 2 users which are student and lecturer. For the first time users, they require to register first before using it. The methodology of this project of "GPS, Fingerprint and QR-Code Based Attendance System" is using Agile development model. This is because Agile development model can make any changes of the requirement at any time even late in the development. Besides, it reduces the time constraint of development by dividing a big task to the several small tasks. The "GPS, Fingerprint and QR-Code Based Attendance System" have several functions which Fingerprint verification on the login site, QR-Code scanning for students' check-in, GPS navigation for lecturer to track the student location when students' check-in and generating students' attendance report. This system has been tested by using User Acceptance Test (UAT) by both users which are student and lecturer. The tested result shows that the system is working well and free of bugs and fulfilled the user requirements.

TABLE OF CONTENT

DECLARATION

TITLE PAGE

ACKNOWLEDGEMENTS **ii**

ABSTRAK **iii**

ABSTRACT **iv**

TABLE OF CONTENT **v**

LIST OF TABLES **viii**

LIST OF FIGURES **ix**

LIST OF ABBREVIATIONS **xi**

CHAPTER 1 INTRODUCTION **1**

1.1 Background of Study 1

1.2 Problem Statement 3

1.3 Objective 4

1.4 Project Scope 5

1.5 Significance 6

1.6 Thesis Organization 7

CHAPTER 2 LITERATURE REVIEW **8**

2.1 Introduction 8

2.2 Review of Existing System 8

2.2.1 MyAT (Web-based Application) 8

2.2.2 Jojo Times (Mobile Application) 11

2.2.3 Check In Attendance Tracker (Mobile Application) 15

| | | |
|------------------|--|-----------|
| 2.3 | Comparing of Existing System | 20 |
| 2.4 | Comparing Tools and Database | 22 |
| 2.4.1 | Comparison between Ionic, Xamarin and React Native | 22 |
| 2.4.2 | Comparison of Firebase, SQLite and Parse Server | 23 |
| CHAPTER 3 | METHODOLOGY | 25 |
| 3.1 | Introduction | 25 |
| 3.2 | Methodology | 26 |
| 3.2.1 | Software Development Model | 26 |
| 3.2.1.1 | Agile Development Phase | 27 |
| 3.2.2 | Context Diagram of Attendance System | 28 |
| 3.2.3 | Use Case Diagram of Attendance System | 29 |
| 3.2.4 | Flow Chart of Attendance System | 30 |
| 3.2.5 | Proposed User Interface of Attendance System | 33 |
| 3.2.5.1 | User Interface of Student Section | 34 |
| 3.2.5.2 | User Interface of Lecturer Section | 38 |
| 3.2.6 | General Architecture and Package Module | 43 |
| 3.3 | Software and Hardware Requirement | 46 |
| 3.3.1 | Software Requirement | 46 |
| 3.3.2 | Hardware Requirement | 47 |
| 3.4 | Gantt Chart | 48 |
| 3.5 | Testing Plan | 49 |
| CHAPTER 4 | RESULT AND DISCUSSION | 50 |
| 4.1 | Introduction | 50 |
| 4.2 | Implementation Process | 50 |
| 4.2.1 | Login Function | 50 |

| | | |
|--|--|-----------|
| 4.2.2 | Generate QR-Code function | 54 |
| 4.2.3 | Check in Attendance Function | 56 |
| 4.2.4 | Generate Students Attendance Report Function | 57 |
| 4.2.5 | Manage Profile Function | 59 |
| 4.2.6 | Implementation of Database | 60 |
| 4.3 | Testing and Result Discussion | 61 |
| 4.3.1 | Summary of Testing Result | 62 |
| CHAPTER 5 CONCLUSION | | 64 |
| 5.1 | Introduction | 64 |
| 5.2 | Project Constraints | 65 |
| 5.3 | Future Work | 65 |
| REFERENCES | | 66 |
| APPENDIX A USER REQUIREMENT | | 68 |
| APPENDIX B USER MANUAL | | 69 |
| APPENDIX C USER ACCEPTANCE TEST | | 80 |

LIST OF TABLES

| | |
|---|----|
| Table 1.1: Problem Taking Student's Attendance Manually | 3 |
| Table 2.1: Strengths and Weakness for MyAT | 11 |
| Table 2.2: Strengths and Weakness for Jojo Times | 15 |
| Table 2.3: Strengths and Weakness for Check In Attendance Tracker | 19 |
| Table 2.4: Comparison Existing System and Proposed System | 20 |
| Table 2.5: Comparison between Ionic, Xamarin and React Native | 22 |
| Table 2.6: Comparison between Firebase, SQLite, MySQL | 23 |
| Table 3.1: Software Requirement | 46 |
| Table 3.2: Hardware Requirement | 47 |
| Table 4.1: Summary Result of UAT | 62 |

LIST OF FIGURES

| | |
|--|----|
| Figure 2.1: Homepage of MyAT | 9 |
| Figure 2.2: Taking Attendances | 9 |
| Figure 2.3: Daily Attendance List | 10 |
| Figure 2.4: Class Monthly's Report | 10 |
| Figure 2.5: Process to Add Attendances | 12 |
| Figure 2.6: Checked Out Process | 12 |
| Figure 2.7: Fraud Detection | 13 |
| Figure 2.8: Generated Report Attendances | 14 |
| Figure 2.9: Request & Approve Leave Form | 14 |
| Figure 2.10: Login and Register Pages | 16 |
| Figure 2.11: Homepage and Interfaces of Application After Login As Admin | 16 |
| Figure 2.12: Employee Management | 17 |
| Figure 2.13: Employee Info and QR Code | 17 |
| Figure 2.14: Login as Scanner | 18 |
| Figure 2.15: Overview of Attendance | 18 |
| Figure 3.1: Agile Development Model (Kvksipdnazafis, 2016) | 27 |
| Figure 3.2: Context diagram of the Attendance System | 29 |
| Figure 3.3: Use Case Diagram of the Attendance System | 30 |
| Figure 3.4: Flow Chart of the Attendance System | 31 |
| Figure 3.5: Flow Chart of Check in Attendance | 32 |
| Figure 3.6: User Interface of Login and Register | 33 |
| Figure 3.7: User Interface of Login phase in Desktop Version | 34 |
| Figure 3.8: User interface of student's slide menu | 35 |
| Figure 3.9: User Interface of Home Button in Student Section | 35 |
| Figure 3.10: User Interface of Attendance Button in Student Section | 36 |
| Figure 3.11: User Interface of Record Button in Student Section | 37 |
| Figure 3.12: User Interface of Report Button in Student Section | 37 |
| Figure 3.13: User Interface of Profile Button in Student Section | 38 |
| Figure 3.14: User Interface of Lecturer's Slide Menu | 39 |
| Figure 3.15: User Interface of Home Button in Lecturer Section | 39 |
| Figure 3.16: User Interface of Class Button in Lecturer Section | 40 |
| Figure 3.17: User Interface of Attendance Button in Lecturer Section | 41 |
| Figure 3.18: User Interface of Report Button in Lecturer Section | 42 |

| | |
|--|----|
| Figure 3.19: User Interface of Profile phase in Lecturer Section | 43 |
| Figure 3.20: General Architecture of Attendance System | 43 |
| Figure 3.21: Package Module of Attendance System | 44 |
| Figure 3.22: Gantt Chart of Attendance System | 48 |
| Figure 4.1: Login Page of Attendance System | 51 |
| Figure 4.2: Student Authentication Code | 51 |
| Figure 4.3: Students Authentication Code (singInWithEmail) | 52 |
| Figure 4.4: Lecturers Authentication Codes | 52 |
| Figure 4.5: Lecturers Authentication Codes (signInWithEmail) | 52 |
| Figure 4.6: Fingerprint Authentication Codes | 53 |
| Figure 4.7: Fingerprint Authentication Codes (fingerprintsigin) | 54 |
| Figure 4.8: Generated QR-Code by Lecturer | 55 |
| Figure 4.9: Generate QR-Code Codes | 55 |
| Figure 4.10: QR-Code Scanner | 56 |
| Figure 4.11: Check in Attendance Codes | 56 |
| Figure 4.12: Report Page of Attendance System | 57 |
| Figure 4.13: Retrieve Dates and Times | 58 |
| Figure 4.14: Display Attendance Report | 58 |
| Figure 4.15: Profile Editing Page of Attendance System | 59 |
| Figure 4.16: Codes of Profile Editing Page | 59 |
| Figure 4.17: Overall of Database | 60 |
| Figure 4.18: Database of User Information | 61 |

LIST OF ABBREVIATIONS

| | |
|---------|-----------------------------------|
| GPS | Global Positioning System |
| WIFI | Wireless Fidelity |
| QR-Code | Quick Response Code |
| PDF | Portable Document Format |
| CSV | Comma-Separated Value |
| HTML | Hyper Text Markup Language |
| CSS | Cascading Style Sheets |
| UI | User Interface |
| IOS | Internet Explorer |
| SDK | Software Development Kit |
| API | Application Programming Interface |
| JSON | JavaScript Object Notation |
| SQL | Structured Query Language |
| SDLC | Software Development Life Cycle |
| SUT | Software Under Test |
| UAT | User Acceptance Testing |
| UUID | Universally Unique Identifier |
| IE | Internet Explorer |

CHAPTER 1

INTRODUCTION

1.1 Background of Study

Smartphone device has been introduced to humanity this few eras and quickly, it became an integral part in our lives. It made our lives more convenient. This is because smartphone device combines different types of functions and features for example, camera device, WIFI network, fingerprint verification, QR code and GPS-based navigation etc. All these functions and features made our live become easier and more convenient. Therefore, there are many institutions have developed their application to manage or communicate with their customers and users.

However, application in mobile devices was rarely used in educational field. In the current scenario, various educational institutions faced a problem in the student's attendance especially for a huge number of students. Majority of the educational institutions in Malaysia still using the manual process to take attendance. The manual process means that when the class or lecture start, lecturer will be passing the attendance list to the students for signing their attendance without any guidance. This will be given opportunities for students to cheat their attendance by asking their friends to sign which causing an inaccurately attendance's report. To prevent students cheating on the attendance, some lecturers will change the different way to take attendance by calling the student's name one by one when the class or lecture begin. This can lead to a waste of time and reduced in academic time. Besides, this process of manually might happen of human error when signing the attendance. Students might sign on the wrong column which is not their name. When the end of the semester, the lecturers must manually key in from the attendance list's paper to the system. This traditional way of taking through the lecturer will increase the workload on lecturer to handle and keep on updating the student's attendance.

In order to reduce all these problems and concern overcome through this problem, a smart mobile application called “GPS, Fingerprint and QR-Code based Attendance System” is generated to resolve the current problems. GPS, Fingerprint and QR-Code based Attendance System has combined several major features which are fingerprint verification, QR-code function, GPS navigation and report generator function. This system has 3 type of users which is lecturer and student. The fingerprint function is used to verify the user’s account whether is lecturer or student. Once lecturers have sign in, they can generate a QR-code for each subject. The purpose of QR-code is used for students check in to the class as their attendance. Before students scan the QR-code, the system forces the users to open internet connection for checking in. The GPS will get student’s current location based on WIFI connectivity or mobile data network. Lecturer have the right to cancel student’s attendance once it is suspicion. The lecturer also can generate a student’s attendance report to keep as a record.

1.2 Problem Statement

The problems of taking student's attendance are stated as below:

Table 1.1: Problem Taking Student's Attendance Manually

| Problem | Description | Effect |
|----------------------------------|---|---|
| 1. Cheating Attendances | Students will take the opportunity to cheat on attendances by calling their friend to take their signature or take their friend's identical card to check-in. | This may generate an inaccurate attendances report which means the number of students attend in class is different from the attendances list. |
| 2. Time Consuming | To avoid students cheating, some lecturer will take the attendances by calling the student's name when the class begin. This situation will take a long time to complete it. | This may reduce the class teaching time and cause delaying or unfollow according to the teaching plan. |
| 3. Increase workload of lecturer | Before end of the semester, lecturers are requiring to key-in the student's attendance in the system manually. This may increase the works of lecturers if the lecturers have many classes and a lot of students in a semester. | The lecturers may cause error when key-in the student's attendances in the system due to many students and classes. |

REFERENCES

- Alexandrou, M. (2011). *Agile Software Development*. Retrieved from Infolific : technology: <https://infolific.com/technology/methodologies/agile-software-development/>
- Allan, J. (17 April, 2017). *Firebase Realtime Database*. Retrieved from THE CODE NINJA: <https://androidstudy.com/2017/04/17/firebase-realtime-database/>
- altexsoft. (19 February, 2018). *Xamarin vs React Native vs Ionic: Cross-platform Mobile Frameworks Comparison*. Retrieved from altexsoft: <https://www.altexsoft.com/blog/engineering/xamarin-vs-react-native-vs-ionic-cross-platform-mobile-frameworks-comparison/>
- Beal, V. (2013). *Agile software development*. Retrieved from webopedia: https://www.webopedia.com/TERM/A/agile_software_development.html
- Firebase. (21 March , 2018). *Firebase Realtime Database*. Retrieved from Firebase: <https://firebase.google.com/docs/database/>
- Gabry, O. E. (17 May, 2017). *Software Engineering—Software Process and Software Process Models (Part 2)*. Retrieved from OmarElGabry'sBlog: <https://medium.com/omarelgabrys-blog/software-engineering-software-process-and-software-process-models-part-2-4a9d06213fdc>
- Guru99. (2009). *What is BLACK Box Testing? Techniques, Example & Types*. Retrieved from Guru99: <https://www.guru99.com/black-box-testing.html>
- Jscrambler. (19 April, 2017). *10 Frameworks for Mobile Hybrid Apps*. Retrieved from jscrambler: <https://blog.jscrambler.com/10-frameworks-for-mobile-hybrid-apps/>
- Kaur, R., & Mehta, R. (2011). Introduction. *Review on Agile Methodology: Embracing Change in Software Development*, 1.
- Kvksipdnazafis. (17 JUNE, 2016). *Non-Traditional Methods*. Retrieved from WORDPRESS: <https://kvksipdnazafissuraji.wordpress.com/2016/06/17/non-traditional-methods/>
- Professionals, A. o. (2015). *Software Development Methodologies*. Retrieved from IT knowledge portal: <http://www.itinfo.am/eng/software-development-methodologies/>

Siddharth. (28 October, 2016). *How to Implement an Agile Development Process in a Few Easy Steps*. Retrieved from Snyxius: <https://www.snyxius.com/implement-agile-development-process-easy-steps/>

Tamplin, J. (18 May, 2016). *Firebase expands to become a unified app platform*. Retrieved from Firebase: <https://firebase.googleblog.com/2016/05/firebase-expands-to-become-unified-app-platform.html>

Timokhina, V. (10 August, 2017). *React Native: Building Native Mobile Apps With JavaScript*. Retrieved from DZone: <https://dzone.com/articles/react-native-building-native-mobile-apps-with-java>